

COMPLETE KIT CATEGORY

ER COLLET SET	Y-2
ER - E COLLET SET	Y-3
ERS METALLIC SEALED COLLET SET	Y-4
ERS COOLANT COLLET SET [FOD TYPE]	Y-5
ER MILLING CHUCK SET	Y-6
ER COLLET CHUCK SET	Y-7
MILLING CHUCK SET	Y-8
EOC 32 MILLING CHUCK SET	Y-9
TG 100 MILLING CHUCK SET	Y-10
SBL/MLD COLLET CHUCK FULL SET	Y-11
EBL COLLET CHUCK FULL SET	Y-12

ER COLLET SET

ER 彈性筒夾組

[ISO 15488]



MODEL NO.	PCS / SET	COLLET KIT	WEIGHT (KGS)
5365-11	ER8 x 9	5, 4.5, 4, 3.5, 3, 2.5, 2, 1.5, 1	0.15
5365-12	ER11 x 13	7, 6.5, 6, 5.5, 5, 4.5, 4, 3.5, 3, 2.5, 2, 1.5, 1	0.23
5365-13	ER16 x 10	10, 9, 8, 7, 6, 5, 4, 3, 2, 1	0.40
5365-14	ER20 x 12	13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2	0.60
5365-15	ER25 x 15	16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2	1.70
5365-16	ER32 x 18	20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3	2.60
5365-17	ER40 x 23	26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4	6.60
5365-18	ER50 x 17	34, 32, 30, 28, 26, 24, 22, 20, 18, 16, 14, 12, 10, 9, 8, 7, 6	8.45

Product information:

- Runout accuracy: 10μm<, G class 8μm, UP class 5μm. Please indicate the runout accuracy needed when placing an order.
- ER8, ER11 and ER50 collets are packed with wooden boxes; ER16, ER20, ER25, ER32 and ER40 with plastic boxes.
- Collets of special sizes could be ordered by request.

ER - E COLLET SET

ER - E 彈性筒夾組

[ISO 15488]



METRIC

MODEL NO.	PCS / SET	COLLET KIT	WEIGHT (KGS)
5365-N2	ER11E x 6	2, 3, 4, 5, 6, 7	0.24
5365-N3	ER16E x 8	3, 4, 5, 6, 7, 8, 9, 10	0.32
5365-N4	ER20E x 12	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13	0.88
5365-N5	ER25E x 15	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	1.30
5365-N6	ER32E x 18	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	3.22
5365-N7	ER40E x 24	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26	7.05

INCHES

MODEL NO.	PCS / SET	COLLET KIT	WEIGHT (KGS)
5365-N2	ER11E x 8	1/16, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 9/32	0.26
5365-N3	ER16E x 11	3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32	0.44
5365-N4	ER20E x 15	1/16, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2	1.00
5365-N5	ER25E x 18	3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16, 19/32, 5/8	1.48
5365-N6	ER32E x 21	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16, 19/32, 5/8, 21/32, 11/16, 23/32, 3/4	3.42
5365-N7	ER40E x 23	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16, 19/32, 5/8, 21/32, 5/8, 21/32, 11/16, 23/32, 3/4, 7/8, 1	6.80

Product information:

- ▶ Runout accuracy: G class 8μm, UP class 5μm, P class 3μm.
- ▶ Design: 6 slots in front and back, increasing precision stability.
- ▶ Clamping one size tool is recommended.
- ▶ Surface roughness: Ra <0.1μm.



ERS METALLIC SEALED COLLET SET

ERS 直溝止水筒夾組

(ISO 15488)



METRIC

MODEL NO.	PCS / SET	COLLET KIT	WEIGHT (KGS)
5365-J2	ERS11 x 9	3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7	0.27
5365-J3	ERS16 x 5	3, 4, 6, 8, 10	0.45
5365-J3	ERS16 x 15	3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10	0.80
5365-J4	ERS20 x 6	3, 4, 6, 8, 10, 12	0.64
5365-J4	ERS20 x 11	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13	0.83
5365-J4	ERS20 x 21	3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13	1.14
5365-J5	ERS25 x 27	3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15, 15.5, 16	2.13
5365-J6	ERS32 x 9	4, 6, 8, 10, 12, 14, 16, 18, 20	2.32
5365-J6	ERS32 x 18	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	3.22
5365-J6	ERS32 x 35	3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15, 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20	5.50
5365-J7	ERS40 x 47	3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15, 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 20.5, 21, 21.5, 22, 22.5, 23, 23.5, 24, 24.5, 25, 25.5, 26	13.4

INCHES

MODEL NO.	PCS / SET	COLLET KIT	WEIGHT (KGS)
5365-J2	ERS11 x 6	3/32, 1/8, 5/32, 3/16, 7/32, 1/4	0.24
5365-J3	ERS16 x 5	1/8, 3/16, 1/4, 5/16, 3/8	0.45
5365-J3	ERS16 x 8	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8	0.54
5365-J3	ERS16 x 11	3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32	0.63
5365-J4	ERS20 x 7	1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2	0.67
5365-J4	ERS20 x 13	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2	0.89
5365-J5	ERS25 x 14	7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16, 19/32, 5/8	1.29
5365-J6	ERS32 x 6	1/4, 5/16, 3/8, 1/2, 5/8, 3/4	2.02
5365-J6	ERS32 x 10	1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4	2.42
5365-J6	ERS32 x 18	7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16, 19/32, 5/8, 21/32, 11/16, 23/32, 3/4	3.22
5365-J7	ERS40 x 20	7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16, 19/32, 5/8, 21/32, 11/16, 23/32, 3/4, 7/8, 1	6.68

Product information:

- ▶ Runout accuracy: G class 8μm, P class 3μm.
- ▶ Design: 6 slots in front and back, increasing precision stability.
- ▶ Coolant pressure resistance: unlimited bar.
- ▶ Clamping one size tool is recommended.
- ▶ Surface roughness: A class Ra <0.15μm, R class Ra <0.12μm, UP/P class Ra <0.1μm.



ERS COOLANT COLLET SET

FOD TYPE

KIT

ERS 大小溝出水筒夾組 [FOD型]



METRIC

MODEL NO.	PCS / SET	COLLET KIT	WEIGHT (KGS)
5365-P2	ERS11 - FOD x 3	3, 4, 5	0.12
5365-P3	ERS16 - FOD x 5	3, 4, 5, 6, 7,	0.20
5365-P4	ERS20 - FOD x 7	3, 4, 5, 6, 7, 8, 9	0.51
5365-P5	ERS25 - FOD x 12	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14	1.04
5365-P6	ERS32 - FOD x 18	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	3.22
5365-P7	ERS40 - FOD x 24	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26	7.05

INCHES

MODEL NO.	PCS / SET	COLLET KIT	WEIGHT (KGS)
5365-P2	ERS11 - FOD x 6	3/32, 1/8, 5/32, 3/16, 7/32, 1/4	0.20
5365-P3	ERS16 - FOD x 8	3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16	0.32
5365-P4	ERS20 - FOD x 9	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8	0.60
5365-P5	ERS25 - FOD x 12	7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16	0.99
5365-P6	ERS32 - FOD x 18	7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16, 19/32, 5/8, 21/32, 11/16, 23/32, 3/4	2.93
5365-P7	ERS40 - FOD x 20	7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16, 19/32, 5/8, 21/32, 11/16, 23/32, 3/4, 7/8, 1	5.91

Product information:

- ▶ Runout accuracy: G class 8µm, UP class 5µm and P class 3µm. Please indicate the runout accuracy needed when placing an order.
- ▶ Used for cutting tools without coolant holes.
- ▶ Coolant pressure resistance: unlimited bar.
- ▶ Only for tool shank with h6 tolerance and no flexible chucking range.



ER MILLING CHUCK SET

ER 銑床夾頭組

[ISO 15488]



MODEL NO.	TYPE	COLLET SIZE / mm	DRAW BAR	WEIGHT (KGS)
5366-B16	MTB3 x ER32 x 6PCS	6, 8, 10, 12, 16, 20	M12 x 1.75P, 1/2" - 12	2.50
5366-B16	MTB4 x ER32 x 6PCS	6, 8, 10, 12, 16, 20	M16 x 2.0P, 5/8" - 11	2.70
5366-G16	NT30 x ER32 x 6PCS	6, 8, 10, 12, 16, 20	M12 x 1.75P, 1/2" - 12	2.40
5366-B17	MTB3 x ER40 x 7PCS	6, 8, 10, 12, 16, 20, 25	M12 x 1.75P, 1/2" - 12	4.10
5366-B17	MTB4 x ER40 x 7PCS	6, 8, 10, 12, 16, 20, 25	M16 x 2.0P, 5/8" - 11	4.00
5366-G17	NT30 x ER40 x 7PCS	6, 8, 10, 12, 16, 20, 25	M12 x 1.75P, 1/2" - 12	3.80
5366-G17	NT40 x ER40 x 7PCS	6, 8, 10, 12, 16, 20, 25	M16 x 2.0P, 5/8" - 11	3.90
5366-B16	MTB3 x ER32 x 18PCS	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	M12 x 1.75P, 1/2" - 12	4.00
5366-B16	MTB4 x ER32 x 18PCS	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	M16 x 2.0P, 5/8" - 11	4.15
5366-G16	NT30 x ER32 x 18PCS	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	M12 x 1.75P, 1/2" - 12	4.00
5366-G16	NT40 x ER32 x 18PCS	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	M16 x 2.0P, 5/8" - 11	4.30
5366-B17	MTB4 x ER40 x 23PCS	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26	M16 x 2.0P, 5/8" - 11	8.45
5366-G17	NT30 x ER40 x 23PCS	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26	M12 x 1.75P, 1/2" - 12	8.00
5366-G17	NT40 x ER40 x 23PCS	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26	M16 x 2.0P, 5/8" - 11	8.45
5366-G17	NT50 x ER40 x 23PCS	4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26	M24 x 3.0P, 1" - 8	11.25
5366-G18	NT40 x ER50 x 17PCS	6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34	M16 x 2.0P, 5/8" - 11	9.15
5366-G18	NT50 x ER50 x 17PCS	6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34	M24 x 3.0P, 1" - 8	11.95
5366-B17	MTB3 x ER40 x 15PCS	4, 5, 6, 8, 10, 12, 13, 15, 16, 18, 20, 21, 23, 25, 26	M12 x 1.75P, 1/2" - 12	6.45
5366-B17	MTB4 x ER40 x 15PCS	4, 5, 6, 8, 10, 12, 13, 15, 16, 18, 20, 21, 23, 25, 26	M16 x 2.0P, 5/8" - 11	6.45
5366-G17	NT30 x ER40 x 15PCS	4, 5, 6, 8, 10, 12, 13, 15, 16, 18, 20, 21, 23, 25, 26	M12 x 1.75P, 1/2" - 12	6.00
5366-G17	NT40 x ER40 x 15PCS	4, 5, 6, 8, 10, 12, 13, 15, 16, 18, 20, 21, 23, 25, 26	M16 x 2.0P, 5/8" - 11	6.45
5366-G17	NT50 x ER40 x 15PCS	4, 5, 6, 8, 10, 12, 13, 15, 16, 18, 20, 21, 23, 25, 26	M24 x 3.0P, 1" - 8	9.25

Product information:

- ▶ Whole set=(ER Collet x Q'ty)+spanner+body+plastic box.
- ▶ Please inform Draw Bar's thread when making an order.



STRAIGHT SHANK ER COLLET CHUCK SET

直柄 ER 夾頭組

[ISO 15488]



MODEL NO.	TYPE	WEIGHT (KGS)	MODEL NO.	TYPE	WEIGHT (KGS)
5366-A13	C16 x ER16A - 50 x 10PCS	1.40	5366-A17	C25 x ER40 - 50 x 7PCS	5.35
5366-A13	C16 x ER16A - 100 x 10PCS	1.48	5366-A17	C25 x ER40 - 50 x 23PCS	9.35
5366-A13	C16 x ER16A - 150 x 10PCS	1.56	5366-A16	C32 x ER32 - 60 x 6PCS	3.25
5366-A13	C20 x ER16A - 50 x 10PCS	1.50	5366-A16	C32 x ER32 - 60 x 18PCS	4.45
5366-A13	C20 x ER16A - 100 x 10PCS	1.60	5366-A17	C32 x ER40 - 50 x 7PCS	5.48
5366-A13	C20 x ER16A - 150 x 10PCS	1.70	5366-A17	C32 x ER40 - 50 x 23PCS	9.48
5366-A14	C20 x ER20A - 60 x 12PCS	1.71	5366-A12	5/8" x ER11A - 140 x 13PCS	1.36
5366-A14	C20 x ER20A - 120 x 12PCS	1.76	5366-A13	5/8" x ER16A - 60 x 10PCS	1.42
5366-A14	C20 x ER20A - 180 x 12PCS	1.88	5366-A13	3/4" x ER16A - 50 x 10PCS	1.50
5366-A15	C20 x ER25 - 50 x 15PCS	2.42	5366-A13	3/4" x ER16A - 100 x 10PCS	1.60
5366-A15	C20 x ER25 - 100 x 15PCS	2.55	5366-A33	3/4" x ER16A - 140 x 10PCS	1.55
5366-A16	C20 x ER32 - 50 x 6PCS	2.42	5366-A14	1" x ER20A - 140 x 12 PCS	1.98
5366-A16	C20 x ER32 - 100 x 6PCS	2.52	5366-A15	1" x ER25 - 50 x 15PCS	2.85
5366-A16	C20 x ER32 - 50 x 18PCS	3.62	5366-A16	1" x ER32 - 50 x 6PCS	3.00
5366-A16	C20 x ER32 - 100 x 18PCS	3.72	5366-A16	1" x ER32 - 50 x 18PCS	4.20
5366-A15	C25 x ER25 - 50 x 15PCS	3.10	5366-A17	1" x ER40 - 50 x 7PCS	5.35
5366-A15	C25 x ER25 - 100 x 15PCS	3.23	5366-A17	1" x ER40 - 50 x 23PCS	9.35
5366-A16	C25 x ER32 - 50 x 6PCS	3.00	5366-A16	1-1/4" x ER32 - 60 x 6PCS	3.15
5366-A16	C25 x ER32 - 50 x 18PCS	4.20	5366-A16	1-1/4" x ER32 - 60 x 18PCS	4.35

STRAIGHT SHANK ER TAPPER (FOR CNC LATHE)

MODEL NO.	TYPE	COLLET / mm	TYPFER	WEIGHT (KGS)
5366-I14	TP20 x 7PCS / SET	4, 5, 6, 7, 9, 12, 13	M3 ~ M16	1.22
5366-I16	TP32 x 10PCS / SET	4, 5, 6, 7, 9, 12, 13, 15, 19, 20	M3 ~ M27	3.90
5366-J14	TPM320 x 7PCS / SET	4, 5, 6, 7, 9, 12, 13	M3 ~ M16	1.50
5366-J14	TPM420 x 7PCS / SET	4, 5, 6, 7, 9, 12, 13	M3 ~ M16	1.70
5366-J16	TPM432 x 10PCS / SET	4, 5, 6, 7, 9, 12, 13, 15, 19, 20	M3 ~ M27	4.10

Product information:

- ▶ Whole set=(ER Collet x Q'ty)+spanner+body+plastic box.
- ▶ It is acceptable to order a set for the sizes selected by request.



MILLING CHUCK SET

銑床夾頭組



MODEL NO.	TYPE	DRAW BAR		COLLET SET	WEIGHT (KGS)
5366-B35	MTB2 x EOC25 x 7M x SYOZ	3/8" - 16	M10 x 1.5P	6, 8, 10, 12, 16, 20, 25mm	3.40
5366-B35	MTB3 x EOC25 x 7M x SYOZ	1/2" - 12	M12 x 1.75P	6, 8, 10, 12, 16, 20, 25mm	3.80
5366-B35	MTB4 x EOC25 x 7M x SYOZ	5/8" - 11	M16 x 2.0P	6, 8, 10, 12, 16, 20, 25mm	4.00
5366-G35	NT30 x EOC25 x 7M x SYOZ	1/2" - 12	M12 x 1.75P	6, 8, 10, 12, 16, 20, 25mm	3.50
5366-G35	NT40 x EOC25 x 7M x SYOZ	5/8" - 11	M16 x 2.0P	6, 8, 10, 12, 16, 20, 25mm	3.80
5366-G35	NT50 x EOC25 x 7M x SYOZ	1" - 8	M24 x 3.0P	6, 8, 10, 12, 16, 20, 25mm	6.20
5366-B35	MTB2 x EOC25 x 7I x SYOZ	3/8" - 16	M10 x 1.5P	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	3.50
5366-B35	MTB3 x EOC25 x 7I x SYOZ	1/2" - 12	M12 x 1.75P	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	3.55
5366-B35	MTB4 x EOC25 x 7I x SYOZ	5/8" - 11	M16 x 2.0P	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	3.70
5366-G35	NT30 x EOC25 x 7I x SYOZ	1/2" - 12 M12 x 1.75P	U. S. A. 1/2" - 13	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	3.60
5366-G35	NT40 x EOC25 x 7I x SYOZ	5/8" - 11	M16 x 2.0P	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	4.00
5366-G35	NT50 x EOC25 x 7I x SYOZ	1" - 8	M24 x 3.0P	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	6.80
5366-B35	MTB2 x EOC25 x 15M x SYOZ	3/8" - 16	M10 x 1.5P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25mm	4.90
5366-B35	MTB3 x EOC25 x 15M x SYOZ	1/2" - 12	M12 x 1.75P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25mm	5.20
5366-B35	MTB4 x EOC25 x 15M x SYOZ	5/8" - 11	M16 x 2.0P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25mm	5.70
5366-G35	NT30 x EOC25 x 15M x SYOZ	1/2" - 12	M12 x 1.75P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25mm	5.00
5366-G35	NT40 x EOC25 x 15M x SYOZ	5/8" - 11	M16 x 2.0P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25mm	5.40
5366-G35	NT50 x EOC25 x 15M x SYOZ	1" - 8	M24 x 3.0P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25mm	7.60
5366-B35	MTB2 x EOC25 x 15I x SYOZ	3/8" - 16	M10 x 1.5P	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	4.90
5366-B35	MTB3 x EOC25 x 15I x SYOZ	1/2" - 12	M12 x 1.75P	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	5.20
5366-B35	MTB4 x EOC25 x 15I x SYOZ	5/8" - 11	M16 x 2.0P	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	5.70
5366-G35	NT30 x EOC25 x 15I x SYOZ	1/2" - 12 M12 x 1.75P	U. S. A. 1/2" - 13	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	5.00
5366-G35	NT40 x EOC25 x 15I x SYOZ	5/8" - 11	M16 x 2.0P	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	5.40
5366-G35	NT50 x EOC25 x 15I x SYOZ	1" - 8	M24 x 3.0P	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	7.60

Product information:

- ▶ Complete sets use SYOZ collet. ▶ Packed with plastic box, Wooden box package is different price.
- ▶ Please indicate the collet chuck measurements in inch or metric system and 7pcs/set or 15pcs/set.
- ▶ Please specify the draw bar's size when making an order. ▶ NT50 packed by wooden box.
- ▶ Concentric end mill extending 25mm with concentricity at 0.02mm.
- ▶ Interior device with upper contracting to keep cutter never be shrunk.
- ▶ Enclosed one Spanner and Plastic case or wooden case for every set. ▶ The body Screw is Ground.



EOC 32 MILLING CHUCK SET

EOC32 銑床夾頭組

[ISO 10897]



8 PCS OR 16 PCS/SET EOC32 MILLING CHUCK / MM SIZE

MODEL NO.	TYPE	DRAW BAR		COLLET SET	WEIGHT (KGS)
5366-B26	MTB4 x EOC32 x 8M x B	5/8" - 11	M16 x 2.0P	6, 8, 10, 12, 16, 20, 25, 32	6.50
5366-B26	MTB5 x EOC32 x 8M x B	1" - 8	M24 x 3.0P	6, 8, 10, 12, 16, 20, 25, 32	9.07
5366-G26	NT40 x EOC32 x 8M x B	5/8" - 11	M16 x 2.0P	6, 8, 10, 12, 16, 20, 25, 32	6.50
5366-G26	NT50 x EOC32 x 8M x B	1" - 8	M24 x 3.0P	6, 8, 10, 12, 16, 20, 25, 32	9.45
5366-B26	MTB4 x EOC32 x 16M x B	5/8" - 11	M16 x 2.0P	5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 25, 32	10.70
5366-B26	MTB5 x EOC32 x 16M x B	1" - 8	M24 x 3.0P	5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 25, 32	12.27
5366-G26	NT40 x EOC32 x 16M x B	5/8" - 11	M16 x 2.0P	5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 25, 32	10.80
5366-G26	NT50 x EOC32 x 16M x B	1" - 8	M24 x 3.0P	5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 25, 32	12.65

8 PCS/SET EOC32 MILLING CHUCK / INCHES

5366-B26	MTB4 x EOC32 x 8I x B	5/8" W11	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1", 1-1/4"	6.50
5366-B26	MTB5 x EOC32 x 8I x B	1" W8	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1", 1-1/4"	9.07
5366-G26	NT40 x EOC32 x 8I x B	5/8" W11	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1", 1-1/4"	6.50
5366-G26	NT50 x EOC32 x 8I x B	1" W8	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1", 1-1/4"	9.45

Product information:

- ▶ Please specify the draw bar's size when making an order.
- ▶ Complete set packaged by plastic box, but NT50 by wooden box.
- ▶ Set: includes body + (collet x Q'ty) + spanner + packing box.
- ▶ Max. clamping capacity: 32mm or 1-1/4".
- ▶ COLLET TYPE: EOC 32 - B.



TG 100 MILLING CHUCK SET

TG 100 銑床夾頭組



MODEL NO.	TYPE	DRAW BAR		COLLET	WEIGHT (KGS)
5366-B40	MTB3 x TG100 x 7M	1/2" - 12	M12 x 1.75P	6, 8, 10, 12, 16, 20, 25	3.95
5366-B40	MTB4 x TG100 x 7M	5/8" - 11	M16 x 2.0P	6, 8, 10, 12, 16, 20, 25	4.10
5366-G40	NT30 x TG100 x 7M	1/2" - 12	M12 x 1.75P	6, 8, 10, 12, 16, 20, 25	4.00
5366-G40	NT40 x TG100 x 7M	5/8" - 11	M16 x 2.0P	6, 8, 10, 12, 16, 20, 25	4.40
5366-G40	NT50 x TG100 x 7M	1" - 8	M24 x 3.0P	6, 8, 10, 12, 16, 20, 25	6.80
5366-B40	MTB3 x TG100 x 7I	1/2" - 12	M12 x 1.75P	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	3.95
5366-B40	MTB4 x TG100 x 7I	5/8" - 11	M16 x 2.0P	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	4.10
5366-G40	NT30 x TG100 x 7I	1/2" - 12	M12 x 1.75P	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	4.00
5366-G40	NT40 x TG100 x 7I	5/8" - 11	M16 x 2.0P	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	4.40
5366-G40	NT50 x TG100 x 7I	1" - 8	M24 x 3.0P	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1"	6.80
5366-B40	MTB3 x TG100 x 15M	1/2" - 12	M12 x 1.75P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25	5.75
5366-B40	MTB4 x TG100 x 15M	5/8" - 11	M16 x 2.0P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25	5.90
5366-G40	NT30 x TG100 x 15M	1/2" - 12	M12 x 1.75P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25	5.80
5366-G40	NT40 x TG100 x 15M	5/8" - 11	M16 x 2.0P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25	6.20
5366-G40	NT50 x TG100 x 15M	1" - 8	M24 x 3.0P	3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 16, 18, 20, 25	9.00
5366-B40	MTB3 x TG100 x 15I	1/2" - 12	M12 x 1.75P	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	5.75
5366-B40	MTB4 x TG100 x 15I	5/8" - 11	M16 x 2.0P	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	5.90
5366-G40	NT30 x TG100 x 15I	1/2" - 12	M12 x 1.75P	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	5.80
5366-G40	NT40 x TG100 x 15I	5/8" - 11	M16 x 2.0P	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	6.20
5366-G40	NT50 x TG100 x 15I	1" - 8	M24 x 3.0P	1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	9.00

Product information:

- ▶ Please inform if the collet chuck measurements are in inch or metric system and 7 pcs/set or 15 pcs/set.
- ▶ Please inform the draw bar's size when making an order.
- ▶ Concentric end mill extending 25mm with concentricity at 0.01mm.
- ▶ Design of square threads for POWER GOOD nuts allows high clamping torque, suitable for heavy-duty machining.
- ▶ Enclosed one Spanner, Shank, wooden box and full set collets.
- ▶ The body Screw is ground.



SBL.MLD COLLET CHUCK FULL SET

KIT

SBL/MLD 銑床夾頭組



MODEL NO.	TYPE	COLLET SIZE / mm
5366-CAB	BT40 x SBL6 x 4PCS	3, 4, 5, 6
5366-CAE	BT40 x SBL12 x 6PCS	3, 5, 6, 8, 10, 12
5366-CA4	BT40 x SBL20 x 6PCS	3, 6, 8, 10, 12, 20
5366-CA5	BT40 x SBL25 x 6PCS	8, 10, 12, 16, 20, 25
5366-DAB	CAT40 x SBL6 x 4PCS	3, 4, 5, 6
5366-DAE	CAT40 x SBL12 x 6PCS	3, 5, 6, 8, 10, 12
5366-DA4	CAT40 x SBL20 x 6PCS	3, 6, 8, 10, 12, 20
5366-DA5	CAT40 x SBL25 x 6PCS	8, 10, 12, 16, 20, 25
5366-EAB	DAT40 x SBL6 x 4PCS	3, 4, 5, 6
5366-EAE	DAT40 x SBL12 x 6PCS	3, 5, 6, 8, 10, 12
5366-EA4	DAT40 x SBL20 x 6PCS	3, 6, 8, 10, 12, 20
5366-EA5	DAT40 x SBL25 x 6PCS	8, 10, 12, 16, 20, 25
5366-CG4	BT30 x MLD20 - 80 x 5PCS	6, 8, 10, 12, 16
5366-CG6	BT40 x MLD32 - 95 x 7PCS	6, 8, 10, 12, 16, 20, 25
5366-CG6	BT50 x MLD32 - 105 x 7PCS	6, 8, 10, 12, 16, 20, 25
5366-CGF	BT50 x MLD42 - 115 x 8PCS	6, 8, 10, 12, 16, 20, 25, 32

Product information:

- Set: includes body + (collet x Q'ty) + spanner + packing box.



EBL COLLET CHUCK FULL SET

EBL 後拉式立銑刀夾頭組



MODEL NO.	TYPE	COLLET SIZE / mm
5366-CCB	BT40 x EBL6 x 4PCS	3, 4, 5, 6
5366-CC1	BT40 x EBL8 x 5PCS	3, 4, 5, 6, 8
5366-DCB	CAT40 x EBL6 x 4PCS	3, 4, 5, 6
5366-DC1	CAT40 x EBL8 x 5PCS	3, 4, 5, 6, 8
5366-ECB	DAT40 x EBL6 x 4PCS	3, 4, 5, 6
5366-EC1	DAT40 x EBL8 x 5PCS	3, 4, 5, 6, 8

Product information:

► Set: includes body + (collet x Q'ty) + spanner + packing box.

