





# PSC Data Chip Hole Tool Holder NEO for RFID

Smart Tool Management System 2.0  
Reliable Support for Manufacturing Processes  
ISO 26623-1:2020




## Type A

- ◆ Pre-balanced.



## Type B

- ◆ Install chip from customer.
- ◆ Balancing grade upon request.



## Type C

- ◆ Pre-balanced.
- ◆ Users process the chip hole before installing chip.



## Product Benefits

- ▶ Reduce machine setup time.
- ▶ Reliable and correct tool data transfer via tool management system.
- ▶ Increase production efficiency.
- ▶ Increase machine uptime.



心源工業股份有限公司  
SHIN-YAIN INDUSTRIAL CO., LTD.

436406 台中市清水區菁埔路198號  
NO.198, Jingpu Rd., Qingshui Dist,  
Taichung City 436406, Taiwan

Tel: +886-4-26237575  
Fax: +886-4-26237676  
E-mail: sales@syic.com




# Application of PSC Data Chip Hole Tool Holder NEO for RFID



❖ Tools identified by the tool presetter.  
Data **written** into the chip.



1. Put the tool on the tool presetter and input initial settings.



2. Tools identified by the tool presetter.



3. Data written into the chip.



❖ Read the data from the chip and **transfer** to the machine.




1. Put the tool on the machine.



2. Align the chip with reader of the machine.



3. The machine reads data from the chip.



4. Transferring the data from the chip to machine controller.



心源工業股份有限公司  
SHIN-YAIN INDUSTRIAL CO., LTD.

436406 台中市清水區菁埔路198號  
NO.198, Jingpu Rd., Qingshui Dist,  
Taichung City 436406, Taiwan

Tel: +886-4-26237575  
Fax: +886-4-26237676  
E-mail: sales@syic.com



www.syic.com